

Google scholar

BIOS tasks with priority with waiting period

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar



Articles and patents

anytime

include citations

Results 1 - 10 of about 2,630. (0.13 sec)

Power state resynchronization

M Altmejd, R Russell, E Menezes, DF ... - US Patent 6,795,927, 2004 - Google Patents

... Thus, the inclusion of **low priority tasks** may be generally undesirable. ... The OS mode time was spent **waiting** for a packet, an operation that does not require a performance ... Additional flexibility in calculating the utilization index can be provided by treating specific **tasks** differently. ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)CPU utilization measurement techniques for use in power management

E Menezes, DF Tobias, R Russell, M ... - US Patent 6,845,456, 2005 - Google Patents

... The **period** of the measurement T is the time between the measurement M1 and M2. The amount of time utilized over the measurement **period** T, for **task** A is A2-A1. ... In addition, the power management software may determine not to include **tasks** below a certain **priority**. ...

[Cited by 7](#) - [Related articles](#) - [All 2 versions](#)Method and apparatus for improving responsiveness of a power management system in a computing device

DF Tobias, E Menezes, R Russell, M ... - US Patent 7,647,513, 2010 - Google Patents

... 12,2010 Sheet 3 of 5 **TASKS** MEASUREMENT 1 MEASUREMENT 2 **PRIORITY TASK** A A1 A2 HIGH ... C1 B2 MEDIUM C2 HIGH POWER MGT **TASK** PM1 PM2 LOW IDLE **TASK** 11 12 ... For example, the computer's hard drive may be sus- pended after a certain **period** of inactivity ...

[Related articles](#) - [All 4 versions](#)System and method for controlling an intergrated circuit to enter a predetermined performance state by skipping all intermediate states based on the determined ...

DF Tobias, E Menezes, R Russell, M Altmejd - 2007 - freepatentsonline.com

... may choose to ignore certain **tasks**, such as those **tasks** that have **low priority**, and may ... from the VID/FID register and the shmoo class table maintained in **BIOS** or elsewhere ... The resynchronization **task** does a comparison and if the comparison indicates a mismatch between the ...

[Related articles](#) - [Cached](#)[book] MicroC/OS-II: the real-time kernel

JJ Labrosse - 2002 - books.google.com

... **Task**, OSTimeDlyResume() 150 5.03 System Time, OSTimeGet() and OSTimeSet() 151 Chapter 6 Event Control Blocks 153 6.00 Placing a **Task** in the ECB Wait List 156 6.01 Removing a **Task** from an ECB Wait List 157 6.02 Finding the Highest **Priority Task** Waiting on an ECB ...

[Cited by 255](#) - [Related articles](#) - [Library Search](#) - [All 5 versions](#)

[\[PDF\] The Role of Texas Instruments' DSP/BIOS in Implementation of Real-Time Digital Signal Processing Algorithms and Systems](#)

[it.com \[PDF\]](#)

M Hart, N Dahmoun - [focus.it.com](#)

... printing. TRC Trace manager Enables the switching of which statistics and logs are being recorded. TSK Multitasking manager Manipulation of the execution of **task** objects of varying **priority**. Table 1 – DSP/BIOS modules These ...

[Related articles](#) - [View as HTML](#)

[Task execution controller, task execution control method, and program](#)

M Tsujino, K Hayashi - US Patent App. 11/602,954, 2006 - Google Patents

... data. Examples of pro- grams to be permanently stored include a BIOS. [0052 ... wait state. Upon completion of the higher **priority task**, a **task** having a next highest **priority** among the remaining **tasks** is executed next. That it ...

[\[citation\] The SPHERES Guest Scientist Program: collaborative science on the ISS](#)

J Enright, M Hilstad, A Saenz-Otero, D Miller - 2004 IEEE Aerospace Conference, ... 2004

[Cited by 24](#) - [Related articles](#)

[\[PDF\] Real Time Operating Systems in a High-level Language 'C/C++': Pitfalls and Possibilities](#)

[openpolytechnic.ac.nz \[PDF\]](#)

T McCall - 2002 - [openpolytechnic.ac.nz](#)

... A non-**priority** scheduler will execute the **task** that has been **waiting** the longest for service. ... **Tasks** running in a multitasking environment may elect to block themselves while they are themselves **waiting** for some event, such as a character to be received on the RS232c port. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Quality of service over paths having a wireless-link](#)

A Ayyagari, Y Berner, TM Moore - US Patent App. 09/792,765, 2001 - Google Patents

... together to ensure earlier transmission of higher **priority** packets than packets having lower **priority**. ... invention may also be practiced in distributed computing environments where **tasks** are performed ... A basic input/output system (BIOS) 133, containing the basic routines that help ...

[Related articles](#) - [All 6 versions](#)

☐ Create email alert ^{New!}

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

BIOS tasks with priority with waiting Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google